


## TYPE BGC

### Features

- Manufactured from cast brass
- Type BGC-DB supplied with stainless steel or silicon bronze hardware
- Copper conductor only

### Benefits

- Provides maximum conductivity and strength
- BGC-1DB and BGC-2DB are suitable for direct burial in earth or concrete. Can be used to ground swimming pools and spas.



Catalog Number	Pipe Size	Ground Wire Range	Dimensions		
			L	W	H
BGC-1	1/2, 3/4, 1	2-10	2-9/32	1-7/16	1-1/2
BGC-2	1-1/4, 1-1/2, 2	2-10	3-9/16	2-1/4	2
BGC-1DB*	1/2, 3/4, 1	2-10	2-9/32	1-7/16	1-1/2
BGC-2DB*	1-1/4, 1-1/2, 2	2-10	3-8/16	2-1/4	2

All wire sizes, unless noted otherwise, are American Wire Gauge (AWG)

\* Suitable for direct burial in earth or concrete

UL File E158587

## TYPE BGC

### Features

- Manufactured from cast bronze
- Versatile

- Copper conductor only

### Benefits

- Provides maximum conductivity and strength
- Type BGC supplied with conduit hub for 1/2"-1" rigid conduit; type BGC-A can be used for bare or armoured cable




Fig. 1




Fig. 2

Catalog Number	Figure Number	Pipe Size	Conduit Hub Size	Wire Range	Dimensions		
					H	W	L
BGC1-50	1	1/2-1	1/2	4str-8sol	1-1/2	1-1/32	2-1/4
BGC1-75	1	1/2-1	3/4	4str-8sol	1-1/2	1-1/32	2-1/4
BGC1-10	1	1/2-1	1	4str-8sol	1-1/2	1-1/32	2-1/4
BGC2-50	1	1-1/4-2	1/2	4str-8sol	2	1-3/4	3-19/32
BGC2-75	1	1-1/4-2	3/4	4str-8sol	2	1-3/4	3-19/32
BGC2-10	1	1-1/4-2	1	4str-8sol	2	1-3/4	3-19/32
BGC-1A*	2	1/2-1	-	4str-8sol	1-1/2	1-3/8	2-1/4
BGC-2A	2	1-1/4-2	-	4str-8sol	2	2-3/32	3-19/32

All wire sizes, unless noted otherwise, are American Wire Gauge (AWG)

\* CSA Certified

UL File E158587


## TYPE BGC

### Features

- Manufactured from cast brass
- Type BGC-DB supplied with stainless steel or silicon bronze hardware
- Copper conductor only

### Benefits

- Provides maximum conductivity and strength
- BGC-1DB and BGC-2DB are suitable for direct burial in earth or concrete. Can be used to ground swimming pools and spas.



Catalog Number	Pipe Size	Ground Wire Range	Dimensions		
			L	W	H
BGC-1	1/2, 3/4, 1	2-10	2-9/32	1-7/16	1-1/2
BGC-2	1-1/4, 1-1/2, 2	2-10	3-9/16	2-1/4	2
BGC-1DB*	1/2, 3/4, 1	2-10	2-9/32	1-7/16	1-1/2
BGC-2DB*	1-1/4, 1-1/2, 2	2-10	3-8/16	2-1/4	2

All wire sizes, unless noted otherwise, are American Wire Gauge (AWG)

\* Suitable for direct burial in earth or concrete.

UL File E158587



## TYPE BGC

### Features

- Manufactured from cast bronze
- Versatile
- Copper conductor only

### Benefits

- Provides maximum conductivity and strength
- Type BGC supplied with conduit hub for 1/2"-1" rigid conduit; type BGC-A can be used for bare or armoured cable



Catalog Number	Figure Number	Pipe Size	Conduit Hub Size	Wire Range	Dimensions		
					H	W	L
BGC1-50	1	1/2-1	1/2	4str-8sol	1-1/2	1-1/32	2-1/4
BGC1-75	1	1/2-1	3/4	4str-8sol	1-1/2	1-1/32	2-1/4
BGC1-10	1	1/2-1	1	4str-8sol	1-1/2	1-1/32	2-1/4
BGC2-50	1	1-1/4-2	1/2	4str-8sol	2	1-3/4	3-19/32
BGC2-75	1	1-1/4-2	3/4	4str-8sol	2	1-3/4	3-19/32
BGC2-10	1	1-1/4-2	1	4str-8sol	2	1-3/4	3-19/32
BGC-1A*	2	1/2-1	-	4str-8sol	1-1/2	1-3/8	2-1/4
BGC-2A	2	1-1/4-2	-	4str-8sol	2	2-3/32	3-19/32

All wire sizes, unless noted otherwise, are American Wire Gauge (AWG)  
\* CSA Certified  
UL File E158587


## TYPE BGC

### Features

- Manufactured from cast brass
- Type BGC-DB supplied with stainless steel or silicon bronze hardware
- Copper conductor only

### Benefits

- Provides maximum conductivity and strength
- BGC-1DB and BGC-2DB are suitable for direct burial in earth or concrete. Can be used to ground swimming pools and spas.



Catalog Number	Pipe Size	Ground Wire Range	Dimensions		
			L	W	H
BGC-1	1/2, 3/4, 1	2-10	2-9/32	1-7/16	1-1/2
BGC-2	1-1/4, 1-1/2, 2	2-10	3-9/16	2-1/4	2
BGC-1DB*	1/2, 3/4, 1	2-10	2-9/32	1-7/16	1-1/2
BGC-2DB*	1-1/4, 1-1/2, 2	2-10	3-8/16	2-1/4	2

All wire sizes, unless noted otherwise, are American Wire Gauge (AWG)

\* Suitable for direct burial in earth or concrete. UL467

UL File E158587