


BOLTS, MACHINE - Square Head

Continued from previous page. For Hex Head Bolts, see next page.

ANSI C135.1 Galvanized per ASTM A-153

3/4" Thread Diameter (3/4-9 UNC) 18,350 lb. Rated Tensile Strength


Catalog No.	Length	Min. Thread Length	Approx. Ship Weight Each
PS8902	2"	1 3/4"	.65 lbs.
PS8903	3"	1 3/4"	.75 lbs.
PS8906*	6"	3"	1.09 lbs.
PS8907*	7"	3"	1.18 lbs.
8908*	8"	4"	1.26 lbs.
8910*	10"	4"	1.54 lbs.
8912*	12"	6"	1.62 lbs.
8914*	14"	6"	1.88 lbs.
8916*	16"	6"	2.25 lbs.
8918*	18"	6"	2.32 lbs.
8920*	20"	6"	2.52 lbs.
8922*	22"	6"	2.68 lbs.
8924*	24"	6"	3.04 lbs.
8926*	26"	6"	3.08 lbs.
8928	28"	6"	3.23 lbs.
8930	30"	8"	3.46 lbs.
8932	32"	8"	3.69 lbs.



*RUS Listed: c - Bolt, machine

7/8" Thread Diameter (7/8-9 UNC) 24,500 lb. Rated Tensile Strength


PSSB780250	2 1/2"	2"	.90 lbs.
PSSB780400	4"	2"	1.15 lbs.
PSSB780500	5"	2 1/2"	1.30 lbs.
PSSB780600*	6"	2 1/2"	1.44 lbs.
PSSB780800*	8"	3"	1.76 lbs.
PSSB781000*	10"	6"	2.08 lbs.
DF5B12*	12"	6"	2.40 lbs.
C2050254*	14"	6"	2.84 lbs.
C2050255*	16"	6"	3.16 lbs.
C2050256*	18"	6"	3.52 lbs.
C2050257*	20"	6"	3.90 lbs.
C2050258*	22"	6"	4.25 lbs.
DF5B24*	24"	6"	4.30 lbs.
PSSB782600*	26"	8"	4.62 lbs.
PSSB782800*	28"	8"	4.94 lbs.
PSSB783000	30"	8"	5.27 lbs.
PSSB783200	32"	8"	5.61 lbs.



*RUS Listed: c - Bolt, machine

1" Thread Diameter (1-8 UNC) 33,500 lb. Rated Tensile Strength

PSSB100350	3 1/2"	2 1/2"	1.48 lbs.
PSSB100400	4"	3"	1.580 lbs.
PSSB100500	5"	3"	1.79 lbs.
PSSB100600	6"	3"	2.01 lbs.
PSSB100800	8"	4"	2.43 lbs.
PSSB101000	10"	4"	2.85 lbs.
PSSB101200	12"	6"	3.27 lbs.
PSSB101400	14"	6"	3.69 lbs.
PSSB101600	16"	6"	4.12 lbs.
PSSB101800	18"	6"	4.54 lbs.
PSSB102000	20"	6"	4.96 lbs.
PSSB102200	22"	6"	5.38 lbs.
PSSB102400	24"	6"	5.81 lbs.
PSSB102600	26"	6"	6.24 lbs.
PSSB102800	28"	8"	6.67 lbs.
PSSB103000	30"	8"	7.10 lbs.



For additional square nuts, see Catalog page 5-33

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.